## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VITA VIONIC BOND I

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture**

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

| | | |
|---|---|---|
| Company name: | VITA Zahnfabrik H.Rauter GmbH & Co.KG | |
| Street: | Spitalgasse 3 | |
| Place: | D-79713 Bad Säckingen | |
| Post-office box: | 1338<br>D-79704 Bad Säckingen | |
| Telephone: | +49(0)7761-562-0 | Telefax: +49(0)7761-562-299 |
| e-mail: | info@vita-zahnfabrik.com | |
| Contact person: | regulatory affairs | |
| e-mail: | info@vita-zahnfabrik.com | |
| Internet: | www.vita-zahnfabrik.com | |
| Responsible Department: | Regulatory Affairs | |

### 1.4. Emergency telephone number:

+49-(0)761-19240

**Further Information**

medical device

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**UN GHS (ST/SG/AC.10/11/Rev.8)**

Hazard categories:
Flammable liquid: Flam. Liq. 2
Skin corrosion/irritation: Skin Irrit. 2
Respiratory or skin sensitisation: Skin Sens. 1
Specific target organ toxicity - single exposure: STOT SE 3
Hazard Statements:
Highly flammable liquid and vapour.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.

### 2.2. Label elements

**UN GHS (ST/SG/AC.10/11/Rev.8)**

**Hazard components for labelling**

2,2'-ethylenedioxydiethyl dimethacrylate
dibenzoyl peroxide; benzoyl peroxide
methyl methacrylate

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

| | |
|---|---|
| H225 | Highly flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H335 | May cause respiratory irritation. |

**Precautionary statements**

| | |
|---|---|
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P235 | Keep cool. |
| P233 | Keep container tightly closed. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous components**

| CAS No | Chemical name | Quantity |
|---|---|---|
| | Classification (UN GHS (ST/SG/AC.10/11/Rev.8)) | |
| 80-62-6 | methyl methacrylate | 75 - < 80 % |
| | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | |
| 109-16-0 | triethylene glycol dimethacrylate | 5 - < 10 % |
| | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335 | |
| 94-36-0 | dibenzoyl peroxide; benzoyl peroxide | 1 - < 5 % |
| | Org. Perox. B, Eye Irrit. 2A, Skin Sens. 1; H241 H319 H317 | |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**After inhalation**

Provide fresh air. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media**

Carbon dioxide (CO2), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

Water.

**5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

**6.3. Methods and material for containment and cleaning up**

**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---|---|---|---|---|---|---|
| 128-37-0 | 2,6-Di-tert-butyl-p-cresol | - | 10 | | TWA (8 h) | WEL |
| 94-36-0 | Dibenzoyl peroxide | - | 5 | | TWA (8 h) | WEL |
| 80-62-6 | Methyl methacrylate | 50 | 208 | | TWA (8 h) | WEL |
| | | 100 | 416 | | STEL (15 min) | WEL |

### 8.2. Exposure controls






**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Recommended glove articles KCL Butoject Butyl caoutchouc (butyl rubber) Breakthrough time: 60 min

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Technical ventilation of workplace Provide adequate ventilation as well as local exhaustion at critical locations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state: | Liquid |
| Colour: | colourless |
| Odour: | stinging |

**Changes in the physical state**

| | |
|---|---|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 101 °C |
| Flash point: | 10 °C |

**Flammability**

| | |
|---|---|
| Solid/liquid: | not applicable |
| Gas: | not applicable |
| Lower explosion limits: | 2,1 vol. % |

| | |
|---|---|
| Upper explosion limits: | 12,5 vol. % |
| Auto-ignition temperature: | 430 °C |
| **Self-ignition temperature** | |
| Solid: | not applicable |
| Gas: | not applicable |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Water solubility: | No |
| **Solubility in other solvents** | |
| not determined | |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: (at 50 °C) | <=1100 hPa |
| Density: | not determined |
| Relative vapour density: | not determined |

### 9.2. Other information

**Information with regard to physical hazard classes**

Oxidizing properties

Not oxidising.

**Other safety characteristics**

| | |
|---|---|
| Solid content: | 1,0 % |
| Evaporation rate: | not determined |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

**Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|---|---|---|---|---|---|
| | Exposure route | Dose | Species | Source | Method |
| 80-62-6 | methyl methacrylate | | | | |
| | dermal | LD50 > 5000 mg/kg | | | |

**Irritation and corrosivity**

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

May cause an allergic skin reaction. (methyl methacrylate; triethylene glycol dimethacrylate; dibenzoyl peroxide; benzoyl peroxide)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (methyl methacrylate)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

**12.1. Toxicity**

The product is not: Ecotoxic.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods**

**Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

**Marine transport (IMDG)**

| | |
|---|---|
| **14.1. UN number or ID number:** | UN 1993 |
| **14.2. UN proper shipping name:** | FLAMMABLE LIQUID, N.O.S. (contains methyl methacrylate) |
| **14.3. Transport hazard class(es):** | 3 |
| **14.4. Packing group:** | II |
| Hazard label: | 3 |




| | |
|---|---|
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-E, S-E |
| Segregation group: | ammonium compounds |

**Air transport (ICAO-TI/IATA-DGR)**

| | |
|---|---|
| **14.1. UN number or ID number:** | UN 1993 |
| **14.2. UN proper shipping name:** | FLAMMABLE LIQUID, N.O.S. (contains methyl methacrylate) |
| **14.3. Transport hazard class(es):** | 3 |
| **14.4. Packing group:** | II |
| Hazard label: | 3 |




| | |
|---|---|
| Special Provisions: | A3 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y341 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 353 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 364 |
| IATA-max. quantity - Cargo: | 60 L |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## SECTION 15: Regulatory information

**National regulatory information**

| | |
|---|---|
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). |
| Skin resorption/Sensitization: | Causes allergic hypersensitivity reactions. |

## SECTION 16: Other information

**Changes**

This data sheet contains changes from the previous version in section(s): 2,15.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

VITA VIONIC BOND II

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture**

Use as laboratory reagent

### 1.3. Details of the supplier of the safety data sheet

| | | |
|---|---|---|
| Company name: | VITA Zahnfabrik H.Rauter GmbH & Co.KG | |
| Street: | Spitalgasse 3 | |
| Place: | D-79713 Bad Säckingen | |
| Post-office box: | 1338<br>D-79704 Bad Säckingen | |
| Telephone: | +49(0)7761-562-0 | Telefax: +49(0)7761-562-299 |
| e-mail: | info@vita-zahnfabrik.com | |
| Contact person: | regulatory affairs | |
| e-mail: | info@vita-zahnfabrik.com | |
| Internet: | www.vita-zahnfabrik.com | |
| Responsible Department: | Regulatory Affairs | |

### 1.4. Emergency telephone number:

+49-(0)761-19240

**Further Information**

medical device

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**UN GHS (ST/SG/AC.10/11/Rev.8)**

Hazard categories:
Flammable liquid: Flam. Liq. 2
Acute toxicity: Acute Tox. 5
Skin corrosion/irritation: Skin Irrit. 2
Respiratory or skin sensitisation: Skin Sens. 1
Specific target organ toxicity - single exposure: STOT SE 3
Specific target organ toxicity - repeated exposure: STOT RE 2
Hazard Statements:
Highly flammable liquid and vapour.
May be harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

**UN GHS (ST/SG/AC.10/11/Rev.8)**

**Hazard components for labelling**

methyl methacrylate
N,N-dimethyl-p-toluidine

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

| | |
|---|---|
| H225 | Highly flammable liquid and vapour. |
| H303 | May be harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

**Precautionary statements**

| | |
|---|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous components**

| CAS No | Chemical name | Quantity |
|---|---|---|
| | Classification (UN GHS (ST/SG/AC.10/11/Rev.8)) | |
| 80-62-6 | methyl methacrylate | 95 - < 100 % |
| | Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335 | |
| 99-97-8 | N,N-dimethyl-p-toluidine | 1 - < 5 % |
| | Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Chronic 3; H331 H311 H301 H373 H412 | |

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**After inhalation**

Provide fresh air. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media**

Carbon dioxide (CO2), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

Water.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

### 6.3. Methods and material for containment and cleaning up

**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

**Hints on joint storage**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---|---|---|---|---|---|---|
| 80-62-6 | Methyl methacrylate | 50 | 208 | | TWA (8 h) | WEL |
| | | 100 | 416 | | STEL (15 min) | WEL |

### 8.2. Exposure controls





**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

Recommended glove articles KCL Butoject Butyl caoutchouc (butyl rubber) Breakthrough time: 60 min When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Technical ventilation of workplace Provide adequate ventilation as well as local exhaustion at critical locations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state: | Liquid |
| Colour: | colourless |
| Odour: | stinging |

**Changes in the physical state**

| | |
|---|---|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 101 °C |
| Flash point: | 10 °C |

**Flammability**

| | |
|---|---|
| Solid/liquid: | not applicable |

| | |
|---|---|
| Gas: | not applicable |
| Lower explosion limits: | 2,1 vol. % |
| Upper explosion limits: | 12,5 vol. % |
| Auto-ignition temperature: | 430 °C |
| **Self-ignition temperature** | |
| Solid: | not applicable |
| Gas: | not applicable |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Water solubility: | No |

**Solubility in other solvents**

not determined

| | |
|---|---|
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: (at 50 °C) | <=1100 hPa |
| Density: | 0,94000 g/cm³ |
| Relative vapour density: | not determined |

### 9.2. Other information

**Information with regard to physical hazard classes**

Oxidizing properties

Not oxidising.

**Other safety characteristics**

| | |
|---|---|
| Solid content: | 0,0 % |
| Evaporation rate: | not determined |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

**Acute toxicity**

May be harmful if swallowed.

**ATEmix calculated**

ATE (oral) 2631,6 mg/kg

| CAS No | Chemical name | | | | |
|---|---|---|---|---|---|
| | Exposure route | Dose | Species | Source | Method |
| 80-62-6 | methyl methacrylate | | | | |
| | dermal | LD50 > 5000 mg/kg | | | |
| 99-97-8 | N,N-dimethyl-p-toluidine | | | | |
| | oral | ATE 100 mg/kg | | | |
| | dermal | ATE 300 mg/kg | | | |
| | inhalation vapour | ATE 3 mg/l | | | |
| | inhalation dust/mist | ATE 0.5 mg/l | | | |

**Irritation and corrosivity**

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

May cause an allergic skin reaction. (methyl methacrylate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation. (methyl methacrylate)

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (N,N-dimethyl-p-toluidine)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

**12.1. Toxicity**

The product is not: Ecotoxic.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

**Marine transport (IMDG)**

| | |
|---|---|
| **14.1. UN number or ID number:** | UN 1992 |
| **14.2. UN proper shipping name:** | FLAMMABLE LIQUID, TOXIC, N.O.S. (methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate; N,N-dimethyl-p-toluidine) |
| **14.3. Transport hazard class(es):** | 3 |
| **14.4. Packing group:** | II |
| Hazard label: | 3+6.1 |




| | |
|---|---|
| Special Provisions: | 274 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-E, S-D |

**Air transport (ICAO-TI/IATA-DGR)**

| | |
|---|---|
| **14.1. UN number or ID number:** | UN 1992 |
| **14.2. UN proper shipping name:** | FLAMMABLE LIQUID, TOXIC, N.O.S. (methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate; N,N-dimethyl-p-toluidine) |
| **14.3. Transport hazard class(es):** | 3 |
| **14.4. Packing group:** | II |
| Hazard label: | 3+6.1 |




| | |
|---|---|
| Special Provisions: | A3 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y341 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 352 |
| IATA-max. quantity - Passenger: | 1 L |
| IATA-packing instructions - Cargo: | 364 |
| IATA-max. quantity - Cargo: | 60 L |

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

**National regulatory information**

| | |
|---|---|
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). |
| Skin resorption/Sensitization: | Causes allergic hypersensitivity reactions. |

## SECTION 16: Other information

**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,6,7,8,9,11,13,14,15.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*